



# Request for Quotation

CUSTOMER:		TMC REF NO:	
CONTACT:		REQUEST DATE:	
CUSTOMER REF NO:		RESPONSE DUE:	
END USER/PROJECT:		TOTAL # ITEMS THIS RFQ:	

## MANDATORY TECHNICAL SPECIFICATIONS

All fields in **this table** must be completed in order for quotation to be processed

Item Number		1	2
Quantity			
Type of Application			
Manufacturing Standard			
Primary Power (AN Rating)	(AN) [kVA]		
Primary Power (AF Rating)	(AF) [kVA]		
Primary Voltage	[kV]		
Primary Tappings	[%]		
Secondary Voltage	(No Load) [kV]		
Secondary Tappings	[%]		
Impedance at AN Rating	[%]		
Rated Frequency	[Hz]		
Number of Phases			
Vector Group			
Winding Material	(HV / LV)		
Temperature Class of Insulation	(HV / LV)		
Temperature Rise	(HV / LV)		
Cooling			
Max Ambient Temperature	°C		
Altitude (a.m.s.l.)	[m]		
Installation Location			
Enclosure	(Degree of Protection)		
Packaging configuration for Shipping			

### Transformers Manufacturing Co España S.A.U.

Poligono Bidosola, Parcela B1  
48142 Artea (Bizkaia) España  
Tel +34 94 631 22 80  
Email ventas@tmc.com.au

### Transformers Manufacturing Co Pty Ltd

19 Ewing Street  
Brunswick Victoria 3056 Australia  
Tel +61 3 9356 8700  
Email sales@tmc.com.au

Item Number			1			2
<b>OPTIONAL TECHNICAL SPECIFICATIONS (if specific values are required)</b>						
No load loss	(Po)	[W]				
Load loss at Temperature	(Pk at °C)	[W/°C]				
Tolerance	(No load loss)	%				
Tolerance	(Load loss)	%				
Sound Pressure Level at 1m	(LpA)	dB(A)				
Sound Power Level	(LwA)	dB(A)				
Primary Insulation Level	(Um/AC/BIL)	[kV]				
Secondary Insulation Level	(Um/AC/BIL)	[kV]				
Environmental / Climatic / Fire Class						
<b>OPTIONAL SPECIAL CHARACTERISTICS AND DIMENSIONS (if specific values are required)</b>						
Length	(max if required)	mm / in		mm	in	mm in
Width	(max if required)	mm / in		mm	in	mm in
Height	(max if required)	mm / in		mm	in	mm in
Mass	(max if required)	kg / lb		kg	lb	kg lb
Enclosure Paint Color						

**SPECIAL FEATURES / ACCESSORIES REQUIRED / NOTES**

### MANDATORY TECHNICAL SPECIFICATIONS

All fields in this table **must** be completed in order for quotation to be processed

<b>Item Number</b>			
Quantity			
Type of Application			
Manufacturing Standard			
Primary Power (AN Rating)	(AN)	[kVA]	
Primary Power (AF Rating)	(AF)	[kVA]	
Primary Voltage		[kV]	
Primary Tappings		[%]	
Secondary Voltage	(No Load)	[kV]	
Secondary Tappings		[%]	
Impedance at AN Rating		[%]	
Rated Frequency		[Hz]	
Number of Phases			
Vector Group			
Winding Material	(HV / LV)		
Temperature Class of Insulation	(HV / LV)		
Temperature Rise	(HV / LV)		
Cooling			
Max Ambient Temperature		°C	
Altitude (a.m.s.l.)		[m]	
Installation Location			
Enclosure	(Degree of Protection)		
Packaging configuration for Shipping			

### OPTIONAL TECHNICAL SPECIFICATIONS (if specific values are required)

No load loss	(Po)	[W]		
Load loss at Temperature	(Pk at °C)	[W/°C]		
Tolerance	(No load loss)	%		
Tolerance	(Load loss)	%		
Sound Pressure Level at 1m	(LpA)	dB(A)		
Sound Power Level	(LwA)	dB(A)		
Primary Insulation Level	(Um/AC/BIL)	[kV]		
Secondary Insulation Level	(Um/AC/BIL)	[kV]		
Environmental / Climatic / Fire Class				

### OPTIONAL SPECIAL CHARACTERISTICS AND DIMENSIONS (if specific values are required)

Length	(max if required)	mm / in		mm	in	mm	in
Width	(max if required)	mm / in		mm	in	mm	in
Height	(max if required)	mm / in		mm	in	mm	in
Mass	(max if required)	kg / lb		kg	lb	kg	lb
Enclosure Paint Color							